Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	2	"6499083".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 12:17
L4	75	buffer adj allocation and 710/52-57.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 12:17
L5	9	L4 and equation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 12:17
L6	6626	dynamic near5 allocation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 12:17
L7	4	L6 and L5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 12:17
L8	3	L7 and @ad<"20001115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 12:17
L9	3	(buffer adj allocation) near4 (data adj rate) and @ad<"20001115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 12:17
L10	194	dynamic and buffer and allocation and data adj rate and @ad<"20001115" and buffer adj size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 12:17
L11	5	L10 and adjust near3 buffer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 12:17

L12	14	L10 and change near3 buffer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 12:17
L13	63	buffer adj sizing and @ad<"20001115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 12:17
L14	4	L13 and 710/52-57.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 12:17
L15	13	("4752897" | "5014265" | "5210829" | "5319638" | "5671445" | "5928331" | "5968120" | "6060997" | "6112276" | "6155840" | "6167438" | "6195680" | "6233245").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/05 12:17
L16	9	("6405256").URPN.	USPAT	OR	OFF	2005/04/05 12:17
L17	9	dynamic and buffer adj resizing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 12:17
L18	4	L17 and @ad<"20001115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 12:17
L19	63	buffer adj sizing and @ad<"20001115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 12:17
L20	0	(buffer adj sizing) near (data adj rate) and @ad<"20001115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 12:17
L21	1092	buffer adj allocation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 12:17

L22	0	dynamic adj buffer adj adjustment and @ad<"20001115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 12:17
L23	52	dynamic adj buffer adj allocation and @ad<"20001115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 12:17
L24	23	L23 and buffer.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 12:17
L25	0	L23 and buffer.ti. and calculate near buffer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 12:17
L26	9745	buffer near4 function and @ad<"20001115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 12:17
L27	909	L26 and formula	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 12:17
L28	7	L27 and buffer near allocation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 12:17
L29	9	710/52-57.ccls. and buffer adj allocation and equation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 12:17
L30	7	L29 and dynamic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 12:17
L31	5	L30 and @ad<"20001115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 12:17

L32	5	@ad<"20001115" and 710/52-57. ccls. and resize	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 12:17
L33	3	@ad<"20001115" and 710/52-57. ccls. and buffer adj reallocation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 12:17
L34	6	@ad<"20001115" and 710/52-57. ccls. and buffer near4 reallocation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 12:17
L35	33	equation near5 (buffer adj size) and @ad<"20001115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 12:17
L36	5	L35 and data adj rate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 12:17